

Manufacturer:
Radiodetection Ltd

Issue : 3
Valid From : 23-06-2017

gCABLE AVOIDANCE TOOL AND GENERATOR 4

Product Description

gCAT 4 / Genny 4 Cable Avoidance Tool

Product Image



Scope of Acceptance


Full product acceptance is granted to the use of this product in line with the conditions and limitations defined on this certificate.

Network Rail Acceptance Panel (NRAP) hereby authorises the product above for use and trial use on railway infrastructure for which Network Rail is the Infrastructure Manager under the ROGS regulations.

Reviewed by:

Authorised by:

Steve Rennolds
Product Acceptance Specialist



Malcolm Miles
Professional Head of Plant

Manufacturer:
Radiodetection Ltd

Issue : 3
Valid From : 23-06-2017

Specific Conditions

The following Conditions are specific to the approved product/s contained within this Certificate. These conditions must be adhered to in addition to the Network Rail General Conditions contained within the "General Terms and Conditions" section. Failure to adhere to these conditions may result in the withdrawal or suspension of Acceptance of some, or all of the items contained within the accepted configuration.

Manufacturer

- 1) See General Terms and Conditions

User

1)	Only to be used in accordance with a Safe System of Work and on site operational risk assessments.
2)	Not to be used in live third or fourth rail areas.
3)	Only authorised personnel are to operate the equipment. Equipment must only be operated as directed by the manufacturer's instructions and associated training requirements.
4)	Personal Protective Equipment to be worn at all times when operating the equipment.
5)	gCAT and Genny 4 must be used in conjunction with NR/GN/TRK/7001/TWI3G101 How to carry out cat scan of a site and NR/L3/MTC/RCS0216/SP05 Use of Cable Avoidance Tool (C.A.T.) or company equivalent controls.
6)	Each party in the Network Rail supply chain procuring and receiving a product is responsible for ensuring it is fit for its intended purpose. Any deficiency must be taken up immediately with the supplier. If the deficiency is a design or manufacturing fault likely to affect performance and/or the safe operation of the railway this shall be reported in writing to Network Rail Acceptance Services.
7)	Maintenance and calibration must only be completed by in accordance with the manufacturer's instructions and be undertaken by a competent trained person, manufacturer or representative.
8)	Only equipment that is in-date maintenance and calibration is to be used.
9)	Signal Clamps should not be applied to items such as Railway Signalling or Telecommunication Cables without a Safe System of Work that confirms interaction

Product Configuration

System or Complete Assembly

Part No.	Description	Catalogue No.
Transmitter		
10/GENNY4EN	Genny4	094/011700
Recievers		
10/CAT4EN09	C.A.T4 Cable Avoidance Tool	094/011701
	C.A.T4 with Strike Alert	094/011702
	C.A.T4+ Cable Avoidance Tool, Depth Estimation	094/011703
	C.A.T4+ with Strike Alert	094/011704
	eC.A.T4 Cable Avoidance Tool, Data Logging	094/011705
	eC.A.T4 with Cal Safe	094/011706
	eC.A.T4 with Strike Alert	094/011707
	eC.A.T4 with Strike Alert and Cal Safe	094/011708
	eC.A.T4 Cable Avoidance Tool, Depth Estimation and Data Logging	094/011709
10/ECAT4+EN71	eC.A.T4+ with CALSafe	094/011710
10/ECAT4+EN61	eC.A.T4+ with Strike Alert	094/011711
10/ECAT4+EN91	eC.A.T4+ with Strike Alert and CALSafe	094/011712

Manufacturer:
Radiodetection Ltd

Issue : 3
Valid From : 23-06-2017

Part No.	Description	Catalogue No.
C.A.T4 & Genny4 Packages:		
10/ELECPACK4-UK	Electricians Accessory Pack - UK	094/011713
10/MAXIPACK4-UK	Maxi Accessory Pack - UK	094/011714
10/BUILDPACK4-EN	UK Builders Accessory Pack	094/011715
10/MOUSEPACK4-EN	Mouse Accessory Pack	094/011716
10/PLUMBPACK4-UK	Plumber's Accessory Pack - UK	094/011717
10/BAGPACK4-UK	Genny4 and Bag Pack - UK	094/011718
C.A.T4 & Genny4 Accessories:		
09/310	Earth Reel	094/011719
04/AC1453N1	Earth Stake	094/011720
10/GEN4KIT	Genny4 Connection Kit	094/011721
09/RD4320-LMTX	Genny4 Direct Connection Lead	094/011722
10/TC2136-RD4	Small Signal Clamp (50mm)	094/011723
10/TC1769-RD4	Standard Signal Clamp (100mm)	094/011724
10/RD4GT0235	Large Signal Clamp (220mm)	094/011725
10/EXT	Signal Clamp Extension Rod	094/011726
10/GG1540-LPC	Live Plug Connector (3 wire)	094/011727
10/AC1231-G33-LCC-2	Live Cable Connector	094/011728
10/SC0412-33R	Standard Sonde 33kHz (C Sonde / Mega Mouse) Depth 5m	094/011729
10/S18/82-33-000	S18A Sonde 33kHz	094/011730
09/S18/82-33-000	S18 Sonde without end cap	094/011731
10/SD0322-33R	Slim Sonde 33kHz	094/011732
10/SD0223	Slim Sonde Plain End Cap	094/011733
10/SD0268	Slim Sonde Blank End Cap	094/011734
10/SD0320	Slim Sonde M10 Stud End Cap	094/011735
10/SU0335	Spring Coupling M10 Male	094/011736
10/FLEXRODF60	Flexrod 9mm 60m	094/011737
02/FR0818N1	Flexrod Coupler joins two Flexrods	094/011738
02/SU0341	Wards Rod Connector, 8mm, 1/2" x 10 BSW, Female	094/011739
02/SU0342	Wards Rod Connector, 6mm, 1/2" x 12 BSW, Female	094/011740
02/SU0676	Lockfast Connector, 3/4" x 10 BSW	094/011741
10/TRACE50-*	FlexiTrace 50m	094/011742
10/CAT/GEN2U	C.A.T4/Genny4 Carry Bag	094/011743
10/GCAT4EN18	gC.A.T4 Cable Avoidance tool with Data and GPS logging,Stike Alert and CALSafe (Radiodetection Ltd)	0094/011744
10/GCAT4+EN03	gC.A.T4 Cable Avoidance tool with Data and GPS logging, Metric depth estimation, Stike Alert and CALSafe (Radiodetection Ltd)	0094/011745
10/GCAT4+EN07	gC.A.T4 Cable Avoidance tool with Data and GPS logging, Imperial depth estimation, Stike Alert and CALSafe (Radiodetection Ltd)	0094/011746

Manufacturer:
Radiodetection Ltd

Issue : 3
Valid From : 23-06-2017

Assessed Documentation

Reference	Title	Doc. Rev.	Date and Applies to Cert. issue No.	
FM 12608	ISO 9001:2008 Certificate	-----	Exp 20/09/2018	2
UK-DOC-2016-004-R1-1	EC Certificate of Conformity 2014/30/EU	-----	Oct 2016	2
UK-DOC-2016-004-R1-2	EC Certificate of Conformity 2014/53/EU, 2014/35/EU and 2014/30/EU	-----	Oct 2016	2
DC2005	Declaration of Conformity 1999/5/EC, 2004/108/EC, 2006/95/EC	-----	Aug 2012	2
Letter	Intellectual Property Rights	-----	16 Nov 2016	2
B917TR1	EMC/EMF B0061 Genny4 EMC & Radio Report	-----	-----	2
B1555TR1	EMC/EMF B1779 CAT4 with GPS EMC Test Report	-----	-----	2
-----	INVESTIGATION OF COMPLIANCE OF PRODUCTS TX-10, GENNY4, C.A.T4, RD7100/8100	-----	-----	2
Report	EMC Gcat4 Genny4 N Rail EMC Report	-----	-----	2
Email	EMC/EMF Confirmation from specialist NWR Engineer	-----	07/04/2017	2

Manuals and Training Materials

Reference	Title	Doc. Rev.	Date and Applies to Cert. issue No.	
90/UG092ENG/06	Operating and Maintenance Manual	6	Sep 2014	2

Certificate History

Issue	Date	Issue History
1	17 Oct 2012	Acceptance to incorporate the Genny 4.
2	20 Apr 2017	Acceptance to incorporate Data Logging and GPS to provide evidence of correct use after a Cable Strike incident. Also bluetooth hardware added for later communications connectivity.
3	23 Jun 2017	Certificate amended as authorised by Head of Plant to remove limitation "Possession working only - this product is only to be used in a possession in compliance with GE/RT8000 Rule Book when used on or near the line". Training limitation amended.

Certificate of Acceptance

PA05/05450

Manufacturer:
Radiodetection Ltd

Issue : 3
Valid From : 23-06-2017

Contact Details

Manufacturer

Radiodetection Ltd
andrew.brown@spx.com

Applicant

Andrew Brown
andrew.brown@spx.com

Lead Reviewing Engineer

John Watt Engineer STE
John.watt@networkrail.co.uk

Manufacturer:
Radiodetection Ltd

Issue : 3
Valid From : 23-06-2017

General Terms & Conditions

1) General

- 1) This certificate can only be amended by Network Rail Product Acceptance, the Professional Head or nominated delegate. Any alterations made by a other persons will invalidate the entire certificate.
- 2) Failure to abide by the requirements in this Certificate of Acceptance may invalidate the certificate, thereby restricting the right to operate the product and / or limiting the future supply and deployment of the product on the infrastructure.
- 3) Upon the review date this certificate and the product it relates to is invalid and not accepted for use. Manufacturers are to make an application for a review prior to the review date.

2) Manufacturer

The Manufacturer shall:

- 1) Ensure that all products supplied comply with the standards defined in the Acceptance Requirements or otherwise documented as part of the assessment, including meeting the reliability requirements included in the Acceptance Requirements and in any deed of warranty for the relevant certificate number.
- 2) Notify Network Rail Product Acceptance:
 - a. Within 48 hours, of any deficiencies affecting the quality, functionality or safety integrity of the product (including corrective action undertaken or proposed).
 - b. Of any intended change to the accepted product; changes include:
 - i. a change to the product configuration (to the actual product or its application);
 - ii. a variation to or addition of manufacturing locations or processes;
 - iii. a change in the name or ownership of the manufacturing company;
 - iv. any changes to the ability or intention to support with technical services, spares or repairs.
- 3) The Manufacturer shall provide Network Rail Product Acceptance or National Supply Chain (NSC) at least 12 (twelve) months notice of its intention to discontinue supply or to provide such notice as is reasonable if such discontinuance is outside its control and will offer the opportunity of a Last Time Buy to Network Rail together with date for last order placement and supply of the parts affected. The introduction of proposed alternative products shall be communicated to Network Rail Product Acceptance.
- 4) Provide further copies of operating and maintenance manuals to purchasers / users of the product as necessary (including certificates of conformance, calibration etc).
- 5) Provide further copies of training manuals and an appropriate level of training to purchasers or users of the product as necessary.
- 6) Where applicable, specialist technical support, repairs and servicing of the product shall be carried out by the Original Equipment Manufacturer (OEM) or authorised agent only.
- 7) Network Rail may request information from the manufacturer to prove product compliance with clauses 1 and 2 above and reserve the right to suspend and/or withdraw any application where information is not forthcoming within a reasonable timeframe.
- 8) In accordance with Network Rail's Quality Assurance Policy Statement 2011, where the specification and/or Product Acceptance Certificates specify quality assurance classifications (QA1 to QA5) for the products, the manufacturer shall comply with the specified level of quality assurance for each product and allow Network Rail access to carry out its quality assurance checks.
- 9) The manufacturer shall give Network Rail's representatives access at all reasonable times to its premises and allow them to inspect its quality systems and production methods and, if requested, to inspect, examine and test the products both during and after their manufacture and the materials being used in their manufacture.

3) Conditions of Use

Specifiers, installers, operators, maintainers, etc. using the product shall:

- 1) Comply with the certificate conditions. If a condition is not understood guidance must be sought from Network Rail Product Acceptance.
- 2) Check that the application of use complies with the relevant certificate's scope of acceptance.
- 3) Report any defect if it is a design or manufacturing fault likely to affect performance and/or the safe operation of the railway in writing to Network Rail Product Acceptance.
- 4) Inform Network Rail Product Acceptance in writing of a change to the product configuration (or to the actual product or its application).
- 5) Operate, maintain and service the product in accordance with Network Rail standards and Operation and Maintenance manuals as appropriate.
- 6) Be appropriately trained and authorised for the installation, maintenance and use of the product.
- 7) Only send products for repair or reconditioning to the Original Equipment Manufacturer (OEM) or authorised agent.
- 8) Users are to be aware that Product Acceptance is not a substitute for design approval.

Manufacturer:
Radiodetection Ltd

Issue : 3
Valid From : 23-06-2017

4) Compliance

Railways and Other Guided Systems (ROGS) Regulations

- 1) Where the product is to be used in areas where Network Rail is not the Infrastructure Manager (e.g. leased stations), the sponsor shall additionally obtain formal consent from the Infrastructure Manager for the locality where the equipment is to be installed. This may include a requirement for additional safety verification. The decision of that Infrastructure Manager is binding, and cannot be overridden by Network Rail except by the escalation processes established in the ROGS regulations
- 2) As required in Railway Group Standard GE/RT8270, at each use of this product the project or group responsible for installation and commissioning shall be required to demonstrate compatibility with:

- a. All rail vehicle types that have access rights over the area affected by the change
- b. Infrastructure managed by others
- c. Neighbours.

Railway Interoperability Regulations

- 3) For interoperable constituents of systems the project or group responsible for installation and commissioning shall be required to demonstrate compliance with the relevant Technical Specifications for Interoperability (TSI) where appropriate.
- 4) An authorisation from the national safety authority (i.e. the Railway Safety Directorate of the Office of Rail Regulation) is required before the equipment is to be used in revenue earning service.

5) Supply Chain Arrangements

- 1) Certificates of acceptance do not imply any particular quantity of supply nor any exclusivity of supply.
- 2) Products may be purchased by Network Rail or its agents, suppliers or contractors.
- 3) Manufacturers should note that it is not necessary to enter into any exclusive supply arrangements with resellers or other suppliers.